according to Regulation (EC) No 1907/2006

# **Diotrol Aqua Whiteprimer 60**

Print date: 26.01.2016 Product code: 80360 Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Diotrol Aqua Whiteprimer 60

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Wood painting

# 1.3. Details of the supplier of the safety data sheet

Company name: Maurolin AG / Diotrol AG
Street: Bodenackerstrasse 64
Place: CH- CH-4657 Dulliken

Telephone: +41 62 285 30 70 Telefax: +41 62 285 30 80

e-mail: info@maurolin.ch

Contact person: Helmut Holzapfel Telephone: +41 79 423 01 58

e-mail: helmut.holzapfel@bluewin.ch

Internet: www.diotrol.ch

Responsible Department: Produktverwaltung Diotrol, Pascal Holzer, +41 62 285 3300

pascal.holzer@maurolin.ch

**1.4. Emergency telephone** CH EU Toxzentrum Zürich, telefon +41 44 251 51 51

number:

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

### Regulation (EC) No. 1272/2008

# **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P273 Avoid release to the environment.
P501 Dispose of contents/container to .

# Special labelling of certain mixtures

EUH208 Contains Neodecane acid, Co-salt. May produce an allergic reaction.

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

according to Regulation (EC) No 1907/2006

# **Diotrol Aqua Whiteprimer 60**

Print date: 26.01.2016 Product code: 80360 Page 2 of 7

#### **Hazardous components**

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification according to Regular	•		
1314-13-2	zinc oxide		< 1 %	
	215-222-5	030-013-00-7		
	Aquatic Acute 1, Aquatic Chronic 1	•		
22464-99-9	2-Ethylhexanoic acid, Zr-salt		< 1 %	
	245-018-1		01-2119979088-21	
	Repr. 2; H361d			
68526-86-3	Isotridecylalcohol; mixture primary		< 1 %	
	271-235-6		01-2119454259-32	
	Aquatic Acute 1; H400			
27253-31-2	Neodecane acid, Co-salt			< 1 %
	248-373-0			
	Repr. 2, Acute Tox. 4, Skin Irrit. 2,	361f H302 H315 H317 H412		
85203-81-2	2-Ethylhexanoic acid, Zn-salt, basi		< 1 %	
	286-272-3		01-2119979093-30	
	Repr. 2, Eye Irrit. 2, Aquatic Chron	•		
134180-76-0	Trisiloxane, polyethermodified		< 1 %	
	Acute Tox. 4, Acute Tox. 4, Eye Irri	H319 H411		
68439-50-9	Alcoholethoxylate C12-14		< 1 %	
	500-213-3			
	Eye Dam. 1, Aquatic Acute 1; H31			
55406-53-6	3-iodo-2-propynyl butylcarbamate;	te	< 0.1 %	
	259-627-5	616-212-00-7		
	Acute Tox. 3, Acute Tox. 4, STOT I 10), Aquatic Chronic 1 (M-Factor =			

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

# After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

according to Regulation (EC) No 1907/2006

# **Diotrol Aqua Whiteprimer 60**

Print date: 26.01.2016 Product code: 80360 Page 3 of 7

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

### Advice on storage compatibility

No special measures are necessary.

### 7.3. Specific end use(s)

Wood painting

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# 8.2. Exposure controls

according to Regulation (EC) No 1907/2006

# **Diotrol Aqua Whiteprimer 60**

Print date: 26.01.2016 Product code: 80360 Page 4 of 7

#### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink,

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: white
Odour: typical

Test method

pH-Value: not determined

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined

not determined

Sustaining combustion: ASTM D 4206

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: not determined

Density: 1,18 g/cm³

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient: not determined

Flow time: 60 sec 4 DIN EN ISO 2431

Vapour density: not determined

according to Regulation (EC) No 1907/2006

# **Diotrol Aqua Whiteprimer 60**

Print date: 26.01.2016 Product code: 80360 Page 5 of 7

Evaporation rate: not determined

9.2. Other information

Solid content: 63%

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### **Acute toxicity**

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
1314-13-2	zinc oxide						
	oral	LD50	> 5000 mg/kg	Rat	IUCLID		
27253-31-2	Neodecane acid, Co-salt						
	oral	ATE	500 mg/kg				
134180-76-0	Trisiloxane, polyethermodified						
	dermal	ATE	1100 mg/kg				
	inhalative vapour	ATE	11 mg/l				
	inhalative aerosol	ATE	1,5 mg/l				
55406-53-6	3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate						
	oral	ATE	500 mg/kg				
	inhalative vapour	ATE	3 mg/l				
	inhalative aerosol	ATE	0,5 mg/l				

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

according to Regulation (EC) No 1907/2006

# **Diotrol Aqua Whiteprimer 60**

Print date: 26.01.2016 Product code: 80360 Page 6 of 7

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

### 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

2010/75/EU (VOC): 0,008 % (0,09 g/l) 2004/42/EC (VOC): 0,008 % (0,09 g/l)

# Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

### **National regulatory information**

Employment restrictions: Observe employment restrictions for young people.

Water contaminating class (D): 2 - water contaminating

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

according to Regulation (EC) No 1907/2006

# **Diotrol Aqua Whiteprimer 60**

Print date: 26.01.2016 Product code: 80360 Page 7 of 7

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

# Relevant H and EUH statements (number and full text)

ic valit it and bott statements (number and fair text)			
H302	Harmful if swallowed.		
H312	Harmful in contact with skin.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H332	Harmful if inhaled.		
H361d	Suspected of damaging the unborn child.		
H361f	Suspected of damaging fertility.		
H372	Causes damage to organs through prolonged or repeated exposure.		
H400	Very toxic to aquatic life.		
11440	No. 1 to the state of the state		

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains Neodecane acid, Co-salt. May produce an allergic reaction.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)