

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830

Print date: 02.05.2017      Dioplast Modelling paste      Revision date: 17.03.2017      EN  
Version: 7.29      Issue date: 17.03.2017      Page 1 / 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. product identifiers

Article No. (manufacturer/supplier) 427  
Identification of the substance or mixture Dioplast Modelling paste  
Elasto-Füllspachtel

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses:

Paint to protect surfaces

### 1.3. Details of the supplier of the safety data sheet

#### supplier (manufacturer/importer/downstream user/distributor)

Knuchel Farben AG  
Farben + Lacke  
Steinackerweg 11  
CH-4537 Wiedlisbach

Telephone: +41 (0) 32 636 50 40  
Telefax: +41 (0) 32 636 50 45

#### Dept. responsible for information:

laboratory Manager  
E-mail (competent person)

info@knuchel.ch

### 1.4. Emergency telephone number

Emergency telephone number 145 (+41 (0)44 251 51 51)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Flam. Liq. 3 / H226      Flammable liquids      Flammable liquid and vapour.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Hazard pictograms



Warning

#### Hazard statements

H226      Flammable liquid and vapour.

#### Precautionary statements

P101      If medical advice is needed, have product container or label at hand.  
P102      Keep out of the reach of children.  
P103      Read label before use.  
P210      Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P243      Take precautionary measures against static discharges.  
P280      Wear protective gloves/protective clothing/eye protection/face protection.  
P403 + P235      Store in a well-ventilated place. Keep cool.  
P501      Dispose of contents/container to industrial incineration plant.

#### contains:

not applicable

#### Supplemental Hazard information (EU)

not applicable

### 2.3. Other hazards

## SECTION 3: Composition / information on ingredients

### 3.2. Mixtures

#### Product description / chemical characterization

Description      Lösemittelhaltiger Acrylspachtel

#### Hazardous ingredients

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830

Print date: 02.05.2017      Dioplast Modelling paste      Revision date: 17.03.2017      EN  
Version: 7.29      Issue date: 17.03.2017      Page 2 / 7

## Classification according to Regulation (EC) No 1272/2008 [CLP]

| EC No.<br>CAS No.<br>INDEX No.          | REACH No.<br>Chemical name<br>classification // Remark   | Wt %    |
|---|--|---------|
| 923-037-2                               | 01-2119471991-29<br>Hydrocarbons, C10-C12, isoalkanes <2% aromatics<br>Flam. Liq. 3 H226 / Asp. Tox. 1 H304 / Aquatic Chronic 2 H411         | 1 - 2,5 |
| 919-857-5<br>64742-48-9<br>649-327-00-6 | 01-2119463258-33<br>Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic compounds, <2%<br>aromatics<br>Flam. Liq. 3 H226 / Asp. Tox. 1 H304 | 1 - 2,5 |

## Additional information

Full text of classification: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.3. Indication of any immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

#### Extinguishing media which must not be used for safety reasons:

strong water jet

### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830

|             |            |                           |            |
|-------------|------------|---------------------------|------------|
| Print date: | 02.05.2017 | Dioplast Modelling paste  |            |
| Version:    | 7.29       | Revision date: 17.03.2017 | EN         |
|             |            | Issue date: 17.03.2017    | Page 3 / 7 |

for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### 6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

##### Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRBS 2153)".

##### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

##### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limit values:

not applicable

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

##### Occupational exposure controls

##### Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

##### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

##### Eye protection

Wear closely fitting protective glasses in case of splashes.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830

|             |            |                           |            |
|-------------|------------|---------------------------|------------|
| Print date: | 02.05.2017 | Dioplast Modelling paste  |            |
| Version:    | 7.29       | Revision date: 17.03.2017 | EN         |
|             |            | Issue date: 17.03.2017    | Page 4 / 7 |

## Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

## Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

## Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance:

|                 |                |
|-----------------|----------------|
| Physical state: | liquid         |
| Colour:         | refer to label |

|        |                |
|--------|----------------|
| Odour: | characteristic |
|--------|----------------|

|                  |                |
|------------------|----------------|
| Odour threshold: | not applicable |
|------------------|----------------|

|              |                |
|--------------|----------------|
| pH at 20 °C: | not applicable |
|--------------|----------------|

|                               |                |
|-------------------------------|----------------|
| Melting point/freezing point: | not applicable |
|-------------------------------|----------------|

|  |                |
|--|----------------|
| Initial boiling point and boiling range: | not applicable |
|--|----------------|

|              |       |
|--------------|-------|
| Flash point: | 30 °C |
|--------------|-------|

|                   |                |
|-------------------|----------------|
| Evaporation rate: | not applicable |
|-------------------|----------------|

|                            |                |
|----------------------------|----------------|
| Flammability (solid, gas): |                |
| burning time (s):          | not applicable |

#### Upper/lower flammability or explosive limits:

|                        |                |
|------------------------|----------------|
| Lower explosion limit: | 0,8 Vol-%      |
| Upper explosion limit: | not applicable |

|                           |                |
|---------------------------|----------------|
| Vapour pressure at 20 °C: | not applicable |
|---------------------------|----------------|

|                 |                |
|-----------------|----------------|
| Vapour density: | not applicable |
|-----------------|----------------|

|                   |                        |
|-------------------|------------------------|
| Relative density: |                        |
| Density at 20 °C: | 1,02 g/cm <sup>3</sup> |

|                                  |           |
|----------------------------------|-----------|
| Solubility(ies):                 |           |
| Water solubility (g/L) at 20 °C: | insoluble |

|   |                |
|---|----------------|
| Partition coefficient: n-octanol/water: | see section 12 |
|---|----------------|

|                            |   |
|----------------------------|---|
| Auto-ignition temperature: | 240 °C  |
|                            | Source: Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclic compounds, <2% aromatics |

|                            |                |
|----------------------------|----------------|
| Decomposition temperature: | not applicable |
|----------------------------|----------------|

|                  |        |
|------------------|--------|
| Viscosity at °C: | pastös |
|------------------|--------|

|                       |                |
|-----------------------|----------------|
| Explosive properties: | not applicable |
|-----------------------|----------------|

|                       |                |
|-----------------------|----------------|
| Oxidising properties: | not applicable |
|-----------------------|----------------|

### 9.2. Other information

|                    |         |
|--------------------|---------|
| Solid content (%): | 97 Wt % |
|--------------------|---------|

|                   |        |
|-------------------|--------|
| solvent content:  |        |
| Organic solvents: | 3 Wt % |
| Water:            | 0 Wt % |

|                              |                    |
|------------------------------|--------------------|
| Solvent separation test (%): | < 3 Wt % (ADR/RID) |
|------------------------------|--------------------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

### 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830

|             |            |                           |            |
|-------------|------------|---------------------------|------------|
| Print date: | 02.05.2017 | Dioplast Modelling paste  |            |
| Version:    | 7.29       | Revision date: 17.03.2017 | EN         |
|             |            | Issue date: 17.03.2017    | Page 5 / 7 |

## 10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

## SECTION 11: Toxicological information

Classification according to Regulation (EC) No 1272/2008 [CLP]

No data on preparation itself available.

### 11.1. Information on toxicological effects

#### Acute toxicity

Toxicological data are not available.

#### skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

#### Respiratory or skin sensitisation

Toxicological data are not available.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

#### Specific target organ toxicity

Toxicological data are not available.

#### Aspiration hazard

Toxicological data are not available.

#### Practical experience/human evidence

Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

## SECTION 12: Ecological information

### overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP]

There is no information available on the preparation itself .

Do not allow to enter into surface water or drains.

### 12.1. Toxicity

Toxicological data are not available.

### 12.2. Persistence and degradability

Toxicological data are not available.

### 12.3. Bioaccumulative potential

Toxicological data are not available.

### 12.4. Mobility in soil

Toxicological data are not available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2015/830**

|             |            |                           |            |
|-------------|------------|---------------------------|------------|
| Print date: | 02.05.2017 | Dioplast Modelling paste  |            |
| Version:    | 7.29       | Revision date: 17.03.2017 | EN         |
|             |            | Issue date: 17.03.2017    | Page 6 / 7 |

**Appropriate disposal / Product Recommendation**

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**List of proposed waste codes/waste designations in accordance with EWC**

080111 waste paint and varnish containing organic solvents or other dangerous substances

**packaging**

**Recommendation**

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

**SECTION 14: Transport information**

**14.1. UN number**

UN 1263

**14.2. UN proper shipping name**

|                                     |       |
|-------------------------------------|-------|
| Land transport (ADR/RID):           | Paint |
| Sea transport (IMDG):               | PAINT |
| Air transport (ICAO-TI / IATA-DGR): | Paint |

**14.3. Transport hazard class(es)**

|   |  |
|---|--|
| Land transport (ADR/RID):                         | KEINE GÜTER DER KLASSE 3<br>bei Gebinden > 450 l Klasse 3                                  |
| Sea transport (IMDG)<br>for packages < 30 litres: | 3<br>Transport in accordance with the provisions of paragraph 2.3.2.5 of the<br>IMDG Code. |
| Air transport (ICAO-TI / IATA-DGR)                | 3  |

**14.4. Packing group**

III

**14.5. Environmental hazards**

|                          |                |
|--------------------------|----------------|
| Land transport (ADR/RID) | not applicable |
| Marine pollutant         | not applicable |

**14.6. Special precautions for user**

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

**Further information**

**Land transport (ADR/RID)**

|                         |     |
|-------------------------|-----|
| tunnel restriction code | D/E |
|-------------------------|-----|

**Sea transport (IMDG)**

|         |          |
|---------|----------|
| EmS-No. | F-E, S-E |
|---------|----------|

**Air transport (ICAO-TI / IATA-DGR)**

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU legislation**

**Directive 2010/75/EU on industrial emissions**

VOC-value (in g/L): 33

**National regulations**

**Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.  
Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830

Print date: 02.05.2017      Dioplast Modelling paste      Revision date: 17.03.2017      EN  
Version: 7.29      Issue date: 17.03.2017      Page 7 / 7

## 15.2. Chemical Safety Assessment

For the following substances of this preparation a chemical safety assessment has been carried out:

| EC No.<br>CAS No. | Chemical name                                   | REACH No.        |
|-------------------|---|------------------|
| 923-037-2         | Hydrocarbons, C10-C12, isoalkanes <2% aromatics | 01-2119471991-29 |

## SECTION 16: Other information

### Full text of classification in section 3:

|                          |                                      |  |
|--------------------------|--------------------------------------|--|
| Flam. Liq. 3 / H226      | Flammable liquids                    | Flammable liquid and vapour.                     |
| Asp. Tox. 1 / H304       | Aspiration hazard                    | May be fatal if swallowed and enters airways.    |
| Aquatic Chronic 2 / H411 | Hazardous to the aquatic environment | Toxic to aquatic life with long lasting effects. |

### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.